

FARMINGTON CITY
STORM WATER POLLUTION PREVENTION PLAN
(For use only on parcels less than one acre which ARE NOT part of a
Common Plan of Development (i.e. subdivision).
Others must use the State SWPPP Template)

This Storm Water Pollution Prevention Plan (SWPPP) is intended to meet the requirements for obtaining a Land Disturbance Permit from Farmington City for the purpose of constructing a residential structure or disturbing land within the city. This plan must be filled out completely for it to meet the requirements of the permit.

SWPPP Preparer's name: _____
Address: _____
Phone Number: _____
E-mail address: _____

SWPPP Inspector's name: _____
Address: _____
Phone Number: _____
E-mail address: _____

(This should be the name of the person responsible for daily oversight of the SWPPP BMPs, inspections, maintenance and assurance that the SWPPP is being followed.)

Site Address: _____
Lot # _____ Subdivision Name: _____


Lot size: _____ Length of lot frontage: _____

Best Management Practices to be used/installed (Check ALL that apply)

- | | |
|--|--|
| <input type="checkbox"/> Silt Fence | <input type="checkbox"/> Construction fence for site access control |
| <input type="checkbox"/> Gravel construction entrance | <input type="checkbox"/> Curb sediment trap for site runoff |
| Storm Drain Inlet protection: | <input type="checkbox"/> Straw wattles behind curb to filter site runoff |
| <input type="checkbox"/> Gravel/fiber filled bags | |
| <input type="checkbox"/> Filter fabric | |
| <input type="checkbox"/> Silt Bags | |
| <input type="checkbox"/> Other (provide description) _____ | |
| <input type="checkbox"/> Daily street scraping/sweeping | <input type="checkbox"/> Anchored portable toilet |
| <input type="checkbox"/> Covered garbage dumpster | <input type="checkbox"/> Designated concrete washout area |

Other BMP's as required for this project (describe):

Example Site Plan showing BMPs



Inspections:

BMP's will be inspected at a minimum of every 14 days. Monitoring of the site should be ongoing, and BMP's should be maintained or adjusted as soon as a problem is identified. Improperly maintained or installed BMP's will be considered a violation of the Land Disturbance Permit, even if they are discovered between official inspections.

A report will be filled out and kept with this SWPPP for each inspection. The inspection report shall include:

1. The location of the site being inspected.
2. The date of the inspection.
3. A list of BMP's that were inspected.
4. Any deficiencies that were identified for the BMP's.
5. A description of the action that was taken to correct the deficiency.
6. The date the deficiency was corrected.
7. Certification that the report is accurate and true.
8. The signature of the person filling out the report.

Site Stabilization

BMPs to prevent material transfer from the site to the street will remain in place and maintained until the site is stabilized.

Permit Kept On-Site

An approved copy of the Land Disturbance Permit and this SWPPP will be kept on-site along with copies of the inspection reports.

Notice of Termination (NOT)

A Notice of Termination (NOT) shall be submitted within thirty (30) days after completion of construction and stabilization or the site is taken over by another operator who has agreed to complete final stabilization. All temporary BMPs will be removed and properly disposed of.

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Signature of Builder

Date

SWPPP Required Attachments

1. Site plan showing the location of all BMPs.
2. A copy of the UPDES Permit issued by the state.
3. A copy of the inspection form to be used to document compliance with the SWPPP.
A signed copy of the Farmington City Storm Water Ordinance Enforcement Policy form indicating the applicant has read and understands the policy.